

NOROXYDIFF

PROVEN "ONE-STEP"
DISINFECTANT – VIRUCIDE.
KILLS C. DIFF SPORES
IN 2 MINUTES.

Hard, Non-Porous Surface Disinfection In: Hospitals, Schools, Industrial Facilities, Office Buildings, Veterinary Clinics.

Before using this product, please read this entire label carefully.

Active Ingredients:

Peroxyacetic Acid.....	5.9%
Hydrogen Peroxide.....	27.3%
Inert Ingredients.....	66.8%
Total.....	100.0%

KEEP OUT OF REACH OF CHILDREN DANGER PELIGRO

See panel below for additional Precautionary Statements and First Aid Statements.

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

First Aid

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 – 20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 – 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE. Causes irreversible eye damage and skin burns. May be fatal if inhaled. Harmful if swallowed. Do not get into eyes, on skin or on clothing. Do not breathe vapors or spray mist. Wear protective eyewear, respiratory protection device, waterproof gloves and protective clothing when handling. Wash thoroughly with soap and water after handling and before eating, drinking, and chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

Personal Protective Equipment (PPE): Applicators and Handlers must wear protective eyewear, respiratory protection device, waterproof gloves and protective clothing (coveralls worn over long-sleeved shirt and long pants, socks, chemical-resistant footwear). NIOSH approved particulate respirator with any N, R, P filter with NIOSH approval number prefix TC-84A; or a NIOSH approved powered air purifying respirator with an HE filter with NIOSH approval number prefix TC-21C. For overhead exposure wear chemical resistant headgear.

ENVIRONMENTAL HAZARD

This pesticide is toxic to birds, fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

STRONG OXIDIZING AGENT. CORROSIVE. Mix only with potable water at 60-80°F. Product must be diluted in accordance with label directions prior to use. This product is not combustible; however, at temperatures exceeding 156°F, decomposition occurs releasing oxygen. The oxygen release could initiate combustion. Never bring this product in contact with other sanitizers, cleaners or organic substances.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

HOSPITAL/HEALTH FACILITIES

This product use solution cleans, disinfects, and deodorizes hard, nonporous hospital/medical surfaces in one step with no rinsing required.

This product use solution is a broad-spectrum germicidal disinfectant cleaner and deodorizer designed for general cleaning and disinfecting of hard, nonporous surfaces. Quickly removes dirt, grime, blood and other organic matter commonly found in hospitals, healthcare facilities and on medical surfaces.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream, or normally sterile areas of the body, (2) contacts intact mucous membranes, but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

DISINFECTANT

At 4 fluid ounces per gallon of water or equivalent use dilution and in the presence of 5% blood serum and 400 ppm hard water with a 2-minute contact time, this product is effective against the following organisms, viruses and spores on hard, non-porous inanimate surfaces:

SPORICIDAL against Clostridium difficile

This product kills and/or inactivates spores of Clostridium difficile on hard, non-porous surfaces. This product is effective against Clostridium difficile endospores after a 2-minute exposure time.

SPECIAL INSTRUCTIONS FOR CLEANING PRIOR TO DISINFECTION AGAINST Clostridium difficile SPORES

Personal Protection: Wear appropriate barrier protection such as gloves, gowns, masks or eye covering.

Contact time: Leave surface visibly wet for 2 minutes with 4 fluid ounces per gallon use solution.

**Net Contents: 4 - 4 fl. oz.
(Total: 1 pt.)**

E.P.A. Reg. No. 91628-5-92089
E.P.A. Est. No. 92089-GA-1

Distributed by:
PreVasive USA, LLC,
PO Box 1391
Dacula, GA 30019

Cleaning Procedure: Fecal matter/waste must be thoroughly cleaned from surfaces/objects before disinfection by application with a clean cloth, mop, and/or sponge saturated with the disinfectant product. This cleaning may be accomplished with any cleaning solution, including this product. Cleaning is to include vigorous wiping and/or scrubbing, until all visible soil is removed. Special attention is needed for high-touch surfaces. Surfaces in patient rooms are to be cleaned in an appropriate manner, such as from right to left or left to right, on horizontal surfaces, and top to bottom, on vertical surfaces, to minimize spreading of the spores. Restrooms are to be cleaned last. Do not reuse soiled cloths.

Infectious Materials Disposal: Materials used in the cleaning process that may contain feces/wastes are to be disposed of immediately in accordance with local regulations for infectious materials disposal.

DISINFECTION IN INSTITUTIONS (Hospitals, Dental Offices, Nursing Homes, and Other Health Care Institutions): At 4 fluid ounces per gallon of water or equivalent use dilution and in the presence of 5% blood serum and 400 ppm hard water with a 2-minute contact time, this product is effective against the following organisms on hard non-porous inanimate surfaces: Acinetobacter baumannii (ATCC 19606), Bordetella pertussis (ATCC 12743), Community Acquired Methicillin Resistant Staphylococcus aureus CA-MRSA 300, NRS-384, Community Acquired Methicillin Resistant Staphylococcus aureus CA-MRSA 400 NRS 123, Escherichia coli (ATCC 11229), Escherichia coli with beta-lactamase resistance (ESBL) BAA-196, Klebsiella pneumoniae (ATCC 4352), Klebsiella pneumoniae Carbaopen Resistant BAA-1705, Methicillin Resistant Staphylococcus aureus MRSA (ATCC 33592), Proteus mirabilis (ATCC 9240), Pseudomonas aeruginosa (ATCC 15442), Salmonella enterica (ATCC 10708), Staphylococcus aureus (ATCC 6538), Streptococcus pneumoniae (ATCC 6305), Streptococcus pyogenes (ATCC 19615), Vancomycin Intermediate Resistant Staphylococcus aureus VISA HIP 5836, Vancomycin Resistant Enterococcus faecalis VRE (ATCC 51575).

***VIRUCIDAL PERFORMANCE:** At 4 fluid ounces per gallon of water use level or equivalent use dilution and in the presence of 5% blood serum and 400 ppm hard water with a 2-minute contact time, this product was evaluated and found to be effective against the following viruses on hard non-porous surfaces: Adenovirus type 5 (ATCC VR-5) Strain Adenoid 75, Herpes simplex virus type 1 (ATCC VR-733), Herpes simplex virus type 2 (ATCC VR-734), Human Immunodeficiency virus type 1 HTLV-IIIb, Influenza A virus (ATCC VR-544), Murine Norovirus (MNV-1), Norovirus (ATCC VR-782), Respiratory syncytial (RSV) virus (ATCC VR-26), Rhinovirus type 37 (ATCC VR-1147), Rotavirus, Vaccinia virus (ATCC VR-119).

***VIRUCIDAL PERFORMANCE:** At 4 fluid ounces per gallon of water use level or equivalent use dilution and in the presence of 5% blood serum and 400 ppm hard water with a 5-minute contact time, this product was evaluated and found to be effective against the following viruses on hard non-porous surfaces: Canine Parvovirus (CPV), Hepatitis B Virus, Hepatitis C Virus (ATCC VR-1422)

FUNGICIDAL ACTIVITY: At 4 fluid ounces per gallon use-level or equivalent use dilution and in the presence of 5% blood serum and 400 ppm hard water with a 2-minute contact time, this product is effective against the following organisms: Candida albicans (ATCC 10231), Trichophyton interdigitale (ATCC 9533) (Athlete's foot fungus) (a cause of Ringworm).

PREPARATION OF DISINFECTION/VIRUCIDAL*/FUNGICIDAL USE SOLUTION: For use with water hardness up to 400 ppm. Before using this product, food products and packaging materials must be removed from the room or carefully protected. For visibly soiled areas, a preliminary cleaning is required. Apply 4 fluid ounces of this product per gallon of water use solution or equivalent use dilution to disinfect hard, inanimate, non-porous surfaces. Apply use solution with a brush, cloth, mop, sponge or mechanical spray device hand pump or trigger spray device, until surfaces are visibly wet. For sprayer applications, spray 6-8 inches from surface. Do not breathe spray. Rub with brush, sponge, mop or cloth. Treated surfaces must remain visibly wet for 2 minutes. Rinse or allow to air dry. Rinsing is not necessary unless floors are to be coated with finish or restorer. Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. Change cloth, sponge or towels frequently to avoid redistribution of soil. Do not use this product to clean or disinfect utensils, glassware, dishes or interior surfaces of appliances. Prepare a fresh solution at least daily or when use solution becomes visibly diluted, soiled or dirty.

***KILLS HIV, HBV AND HCV ON PRECLEANED ENVIRONMENTAL SURFACES/ OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS) and (Duck) Hepatitis B Virus (HBV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1, AND HBV ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

Personal Protection: Clean up must always be done wearing protective latex gloves, gowns, masks and eye protection. Specific barrier protection items to be used when handling items soiled with blood or body fluids are disposable latex gloves, gowns, masks and eye coverings.

Cleaning Procedure: Blood and other body fluids containing HIV-1, HBV and HCV must be thoroughly cleaned from surfaces and objects before application of this product.

Disposal of Infectious Materials: Blood and other body fluids, cleaning materials and clothing must be autoclaved and disposed of according to federal, state and local regulations for infectious waste disposal.

Contact Time: Leave surface visibly wet for 2 minutes with a 4 fluid ounce per gallon of water use solution for HIV (Leave surface wet for 5 minutes for HBV and HCV) or equivalent use dilution.

Cleaning and Disinfection: For visibly soiled areas, a pre-cleaning step is required. For general cleaning and disinfection, use 4 fluid ounces of this product per gallon of water or equivalent use dilution. Apply use solution with a brush, mop, cloth, sponge or mechanical spray device hand pump, coarse pump or trigger spray device so as to wet all surfaces thoroughly to be cleaned and disinfected. For sprayer applications, spray 6-8 inches from surface. Rub with brush, sponge, mop or cloth. Do not breathe spray. Allow surfaces to remain visibly wet for 2 minutes for HIV (5 minutes for HBV and HCV) and then let air dry or wipe up excess liquid. Change cloth, sponge or towels frequently to avoid redistribution of soil. A fresh solution must be prepared at least daily or when use solution becomes visibly soiled.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Never return this product to the original container after it has been removed. Avoid all contamination, especially dirt, caustic, reducing agents and metals. Contamination and impurities will reduce shelf life and can induce decomposition. In case of decomposition, isolate container, douse container with cool water and dilute this product with large volumes of water. Avoid damage to containers. Keep container closed at all times when not in use. Keep container out of direct sunlight. To maintain product quality, store at temperatures below 86°F. Do not store on wooden pallets.

PROCEDURE FOR LEAK OR SPILL: Stop leak if this can be done without risk. Shut off ignition sources: no flames, smoking, flares, or spark producing tools. Keep combustible and organic materials away. Flush spilled material with large quantities of water. Undiluted material should not enter confined spaces.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance. If material has been spilled, an acceptable method of disposal is to dilute with at least 20 volumes of water followed by discharge into suitable treatment system in accordance with all local, state, and federal environmental laws, rules, regulations, standards, and other requirements. Because acceptable methods of disposal may vary by location, regulatory agencies should be contacted prior to disposal. This product, which is to be discarded, should be disposed of as hazardous waste after contacting the appropriate local state or federal agency to determine proper procedures.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. Triple rinse or equivalent promptly after emptying. Triple rinse as follows: Fill the container ¾ full with water and recap. Shake for 10 seconds. Drain for 10 seconds after the flow begins to drip. Follow Pesticide Disposal instructions for rinsate disposal. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. In addition, plastic containers may be disposed of by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

See Bottom for Lot/Date code

